

INKMATHS FLASHCARDS

Mechanics essentials

11 cards · fronts and backs

Print double-sided, flipping on the long edge, and each answer lands behind its question. Cut along the card borders.

Definitions in precise wording, the standard results the formulae booklet does not print, a check-yourself question per topic, and the slips that lose marks. The same cards run on the website with spaced-repetition scheduling, at inkmaths.co.uk/flashcards.

STANDARD RESULT

Weight:

$W = ?$

MECHANICS ESSENTIALS

STANDARD RESULT

Moments:

moment = ?

MECHANICS ESSENTIALS

STANDARD RESULT

The friction law:

$F \leq \mu R$

MECHANICS ESSENTIALS

STANDARD RESULT

Projectile components:

u at angle $\theta \Rightarrow ?$

MECHANICS ESSENTIALS

STANDARD RESULT

Weight on a slope:

components of mg on a slope at θ : ?

MECHANICS ESSENTIALS

DEFINITION

Define: Limiting equilibrium.

MECHANICS ESSENTIALS

DEFINITION

Define: Uniform beam.

MECHANICS ESSENTIALS

CHECK YOURSELF

A 5 kg crate is pulled by 30 N against 10 N of resistance. Find its acceleration.

MECHANICS ESSENTIALS

STANDARD RESULT

moment = force $\times$ perpendicular distance

MECHANICS ESSENTIALS

STANDARD RESULT

$W = mg$, with $g = 9.8 \text{ m s}^{-2}$

MECHANICS ESSENTIALS

STANDARD RESULT

$u \cos \theta$ across, $u \sin \theta$ up

MECHANICS ESSENTIALS

STANDARD RESULT

$F \leq \mu R$, equality only at the limit or when sliding

MECHANICS ESSENTIALS

DEFINITION

The state in which an object is still in equilibrium but on the point of slipping, so friction has reached its maximum value μR .

MECHANICS ESSENTIALS

STANDARD RESULT

$mg \sin \theta$ along, $mg \cos \theta$ into

MECHANICS ESSENTIALS

CHECK YOURSELF

Resultant 20 N, so $a = 20/5 = 4 \text{ m s}^{-2}$: $F = ma$ uses the resultant, never a single force.

MECHANICS ESSENTIALS

DEFINITION

A beam whose mass is evenly spread, so its whole weight can be modelled as acting at its midpoint.

MECHANICS ESSENTIALS

CHECK YOURSELF

Masses of 7 kg and 3 kg hang over a smooth pulley. Write the two equations of motion.

MECHANICS ESSENTIALS

SPOT THE ERROR

Say what is wrong with this claim:

At the top of its flight, a projectile's acceleration is zero.

MECHANICS ESSENTIALS

SPOT THE ERROR

Say what is wrong with this claim:

A moving object must have a force pushing it along.

MECHANICS ESSENTIALS

SPOT THE ERROR

Only the vertical velocity is zero at the apex. Gravity acts all flight long, so the acceleration is 9.8 m s^{-2} downwards there, the same as everywhere else.

MECHANICS ESSENTIALS

CHECK YOURSELF

$7g - T = 7a$ for the falling mass, $T - 3g = 3a$ for the rising one; adding gives $a = 0.4g$.

MECHANICS ESSENTIALS

SPOT THE ERROR

Newton's first law says the opposite: with no resultant force, motion simply continues. Forces change velocity; they are not needed to keep it. What slows real objects is a real backward force, friction or resistance.

MECHANICS ESSENTIALS